EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	782	(717/174).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L2	264	(717/175).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L3	344	(717/176).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L4	281	(717/177).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L5	434	(717/178).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L6	0	(build$order) same best adj practice	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L7	496	(703/21).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L8	128	(business adj rule) same (build$3 creat$3 generat$3 custom$6 configur$6) same (image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L9	0	(best adj practice) same (build$3 creat$3 generat$3 custom$6 configur$6) same (software application system package) same knowledge$base	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:32
L10	274827	(image) near3 (creat$3 build$3 generat$3) best adj practice	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L11	18	(network same design) and ((snap adj2 shot) or (image adj2 disk)) same provision$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L12	30	(best adj practice) same (build$3 creat$3 generat$3 custom$6 configur$6) same (image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L13	918	(703/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/30 15:32
L14	9	(build adj2 order) and knowledge adj base	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L15	16	(network same design) same ((snap adj2 shot) or (image adj2 disk))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L16	256	(system application disk software) adj (image) and knowledge adj base	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32

L17	125	(system software disk) adj image with (build$3 creat$3 configur$6 custom$6 generat$3) with (enterprise team group)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L18	83	(system software disk) adj image with (build$3 creat$3 configur$6 custom$6) with (users clients)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:32
L19	4	(build$order) same (enterprise)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L20	3384	(image) and knowledge adj base	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L21	3	(image) near3 (creat$3 build$3 generat$3) same best adj practice	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L22	545	(best adj practice) same (build$3 creat$3 generat$3 custom$6 configur$6) same (software application system image package)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:32
L23	40	(best adj practice) same (build$3 creat$3 generat$3 custom$6 configur$6) same (software application system package) same rules	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:32
L24	124	(network same design) and ((snap adj2 shot) or (image adj2 disk)) and topology	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L25	12	(build built design) adj (order) same (system disk software) adj image	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L26	0	(best adj practice) same (build$order)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L27	11	(build adj2 order) and best adj practice	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L28	9	(network same design) and ((snap adj2 shot) or (image adj2 disk)) same topology	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32

L29	5	(best adj practice) same (build$3 creat$3 generat$3 custom$6 configur$6) same (software application system package) same image	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:32
L30	480	(network same design) and ((snap adj2 shot) or (image adj2 disk))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L31	76	(build adj2 order) same (business enterprise)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L32	7	(build$order) and best adj practice	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L33	18	(system software disk) adj image with (generat$3) with (users clients)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:32
L34	71	(system application disk software) adj (image) and knowledge adj base same (customiz$6 configur$6 requirement)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L35	5	(best adj practice) same (build$3 creat$3 generat$3 custom$6 configur$6) same (image) same rules	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32
L36	0	(requirement) same (best adj practice) same (build$order)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:32

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	105	(group near3 (client user operator customer)) with (requirement configuration specification definition defin$4) and (build$order build near2 order)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:47
L8	14	(group near3 (client user operator customer)) with (requirement configuration specification definition defin$4) and (build$order build near2 order) with (software application)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:37
L9	0	(requirement configuration specification definition defin$4) same (build$order build near2 order) with (software application) with (disk adj image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:38
L10	6	(requirement configuration specification definition defin$4) same (build$order build near2 order) with (software application) same (disk adj image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:49
L11	6	(requirement configuration specification definition defin$4) and (build$order build near2 order) with (software application) same (disk adj image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:49
L12	16	(requirement configuration specification definition defin$4) same (build$order build near2 order) with (software application) and (disk adj image)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:49